


IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Original): A 1,3,5-triazine carbamate or 1,3,5-triazine urea of formula (I)



in which


R¹, R² and R³ each independently of one another are a divalent organic radical,

X¹, X² and X³ each independently of one another are oxygen or substituted or unsubstituted nitrogen (NR),


R being hydrogen or C₁ – C₂₀ alkyl, and

Z¹, Z² and Z³ each independently of one another are vinyl, methacryloyl or acryloyl.

Claim 2 (Original): A 1,3,5-triazine carbamate or 1,3,5-triazine urea of formula (II)



or of formula (III)




in which


X^1 , X^2 , Z^1 , Z^2 , R^1 and R^2 are as defined in claim 1 and

R^4 and R^5 each independently of one another are $C_1 - C_4$ alkyl.

Claim 3 (Original): An isocyanato-functional 1,3,5-triazine carbamate or 1,3,5-triazine urea of formula (V)




or formula (VI)



in which

X^1 , X^2 , Z^1 , Z^2 , R^1 and R^2 are as defined in claim 1.

Claim 4 (Original): A radiation-curable 1,3,5-triazine carbamate or 1,3,5-triazine urea obtainable by reacting a compound of formula (IV)




in which

R^4 , R^5 and R^6 each independently of one another can be $C_1 - C_4$ alkyl

or by reacting 2,4,6-triisocyanato-1,3,5-triazine
with a compound containing a hydroxyl or amino group and at least one vinyl,
methacryloyl or acryloyl group.

Claim 5 (Original): A radiation-curable 1,3,5-triazine carbamate or urea according to
claim 4, wherein the compound containing a hydroxyl or amino group and at least one vinyl,
methacryloyl or acryloyl group is selected from the group consisting of polyether
(meth)acrylates, polyesterol (meth)acrylates, urethane (meth)acrylates and epoxy
(meth)acrylates.

Claim 6 (Currently Amended): A process for preparing a compound of formula (I),
(II) or (III) as set forth in claim 1 [[or 2]]
by reacting a compound of formula (IV)



in which


R^4 , R^5 and R^6 in each case independently of one another can be $C_1 - C_4$ alkyl
with an alcohol or amine of formula (VII)

$Z^1-O-R^1-X^1-H$ or $Z^2-O-R^2-X^2-H$, or $Z^3-O-R^3-X^3-H$,

in which X^1 , X^2 , X^3 , Z^1 , Z^2 , Z^3 , R^1 , R^2 and R^3 are as defined in claim 1.

Claim 7 (Currently Amended): A process for preparing a compound of formula (I),
(II) or (III)

A 1,3,5-triazine carbamate or 1,3,5-triazine urea of formula (I)



in which


R¹, R² and R³ each independently of one another are a divalent organic radical,

X¹, X² and X³ each independently of one another are oxygen or substituted or unsubstituted nitrogen (NR),


R being hydrogen or C₁ – C₂₀ alkyl, and

Z¹, Z² and Z³ each independently of one another are vinyl, methacryloyl or acryloyl,

A 1,3,5-triazine carbamate or 1,3,5-triazine urea of formula (II)



or of formula (III)



in which


X¹, X², Z¹, Z², R¹ and R² are as defined in formula (I) and

R⁴ and R⁵ each independently of one another are C₁ – C₄ alkyl,


by reacting 2,4,6-triisocyanato-1,3,5-triazine with an alcohol or amine of formula (VII), as defined in claim 6, and in the case of compound (II) or (III) by simultaneous, prior or subsequent reaction with alcohols of formula R⁴OH or R⁵OH, where R⁴ and R⁵ each independently of one another can be C₁ – C₄ alkyl.

Claim 8 (Currently Amended): A process for preparing a compound of formula (V) or (VI)

An isocyanato-functional 1,3,5-triazine carbamate or 1,3,5-triazine urea of formula (V)



or formula (VI)



in which

X¹, X², Z¹, Z², R¹ and R² are as defined in formula (I),

~~as set forth in claim 3~~ by reacting 2,4,6-triisocyanato-1,3,5-triazine with an alcohol or amine of formula (VII) as defined in claim 6.

Claim 9 (Original): A coating composition comprising at least one compound of formula (I) and/or formula (II) and/or formula (III) and/or formula (V) and/or formula (VI) and/or a radiation-curable 1,3,5-triazine carbamate or 1,3,5-triazine urea according to claim 4.

Claim 10 (Currently Amended): The ~~use of~~ method of using a compound of formula (I) as defined in claim 1 in radiation curing.

Claim 11 (Currently Amended): The ~~use of~~ method of using a compound of formula (II) and/or formula (III) and/or formula (V) and/or formula (VI) and/or a radiation-curable 1,3,5-triazine carbamate or 1,3,5-triazine urea according to claim 4 in dual-cure curing.